

Архангельск (8182)63-90-72
 Астана (7172)727-132
 Астрахань (8512)99-46-04
 Барнаул (3852)73-04-60
 Белгород (4722)40-23-64
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89
 Иваново (4932)77-34-06

Ижевск (3412)26-03-58
 Иркутск (395)279-98-46
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Липецк (4742)52-20-81
 Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Новосибирск (383)227-86-73
 Омск (3812)21-46-40
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16
 Россия (495)268-04-70

Пермь (342)205-81-47
 Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Севастополь (8692)22-31-93
 Симферополь (3652)67-13-56
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13
 Казахстан (772)734-952-31

Сургут (3462)77-98-35
 Тверь (4822)63-31-35
 Томск (3822)98-41-53
 Тула (4872)74-02-29
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Уфа (347)229-48-12
 Хабаровск (4212)92-98-04
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Ярославль (4852)69-52-93

<http://sanremo.nt-rt.ru> | sod@nt-rt.ru

ON DEMAND

• Conical grinders



Technical data

		SR 83 OD	SR 71 C OD	SR 64 OD	SR 64 OD evo	SR 58 OD
power	W	650	850	350	350	250
burrs	-	flat	conical	flat	flat	flat
burrs diameter	inch / mm	3.27 / 83	2.79 / 71	2.52 / 64	2.52 / 64	2.28 / 58
motor speed 50 Hz	rmp	1350	450	1350	1350	1400
motor speed 60 Hz	rmp	1550	500	1550	1550	1600
coffee beans hopper capacity	lb / kg	3.3 / 1.5	3.3 / 1.5	3.3 / 1.5	3.3 / 1.5	1.3 / 0.6
net weight	lb / kg	44 / 20	42 / 19	31 / 14	31 / 14	22 / 10
width	inch / mm	9.05 / 230	9.05 / 230	9.05 / 230	9.05 / 230	6.65 / 169
height	inch / mm	26.73 / 679	26.34 / 670	24.21 / 615	24.21 / 615	18.62 / 473
dept	inch / mm	10.63 / 270	10.63 / 270	10.63 / 270	10.63 / 270	9.45 / 240

SR 58 OD



Optional



Available for SR 83 OD and SR 64 OD EVO models.

Colors

	Black	RAL 9017
	Silver	RAL 9006
	White	RAL 9003
	Red	RAL 3002

The SR 58 A and SR 58 OD models are not available in the silver version and the SR 63 CA model is not available in red color.

AUTOMATIC

• Conical grinders



Technical data

		SR 83 A	SR 64 A	SR 63 CA	SRQ 63 A	SR 58 A
power	W	650	350	750	300	250
burrs	-	flat	flat	conical	flat	flat
burrs diameter	inch / mm	3.27 / 83	2.52 / 64	2.48 / 63	2.48 / 63	2.28 / 58
motor speed 50 Hz	rmp	1400	1350	450	1400	1400
motor speed 60 Hz	rmp	1600	1550	500	1600	1600
coffee beans hopper capacity	lb / kg	3.3 / 1.5	3.3 / 1.5	3.3 / 1.5	2.6 / 1.2	1.3 / 0.6
net weight	lb / kg	45 / 20.5	31 / 14	45 / 20.5	25 / 11.4	22 / 10
width	inch / mm	9.05 / 230	9.05 / 230	9.05 / 230	6.29 / 160	6.65 / 169
height	inch / mm	26.38 / 670	24.21 / 615	26.38 / 670	20.08 / 510	18.62 / 473
dept	inch / mm	10.63 / 270	10.63 / 270	10.63 / 270	11.42 / 290	9.45 / 240

SR 58 A



MANUAL

SR 64 M SRQ 63 M



Technical data

		SR 64 M	SRQ 63 M
power	W	350	300
burrs	-	flat	flat
burrs diameter	inch / mm	2.52 / 64	2.48 / 63
motor speed 50 Hz	rmp	1350	1400
motor speed 60 Hz	rmp	1550	1600
coffee beans hopper capacity	lb / kg	3.3 / 1.5	2.6 / 1.2
net weight	lb / kg	31 / 14	25 / 11.4
width	inch / mm	9.05 / 230	6.29 / 160
height	inch / mm	24.21 / 615	20.08 / 510
dept	inch / mm	10.63 / 270	11.42 / 290



On demand / Grinder doser

SR 83 OD




On demand / Conical grinder doser

SR 71C OD



Optional



"RED SPEED" BURRS
Improves the quality of grinding and offers a much longer life span. (PVD-coated)

Colors

	Black	RAL 9017
	Silver	RAL 9006
	White	RAL 9003
	Red	RAL 3002

Technical data

		SR 83 OD
power	W	650
burrs	-	flat
burrs diameter	inch / mm	3.27 / 83
motor speed 50 Hz	rmp	1350
motor speed 60 Hz	rmp	1550
coffee beans hopper capacity	lb / kg	3.3 / 1.5
net weight	lb / kg	44 / 20
width	inch / mm	9.05 / 230
height	inch / mm	26.73 / 679
dept	inch / mm	10.63 / 270



INVERTER TECHNOLOGY

The system ensures absolute precision and consistency for grinding, reducing motor consumption, operating noiselessly and showing exceptional reliability even during long time operations.

Technical data

		SR 71 C OD
power	W	850
burrs	-	conical
burrs diameter	inch / mm	2.79 / 71
motor speed 50 Hz	rmp	450
motor speed 60 Hz	rmp	500
coffee beans hopper capacity	lb / kg	3.3 / 1.5
net weight	lb / kg	42 / 19
width	inch / mm	9.05 / 230
height	inch / mm	26.34 / 670
dept	inch / mm	10.63 / 270



Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93